



CE
0086

FLOWSERVE[®]


Worcester Controls

Lockable Wrench

With the ever-increasing focus on health and safety within process operations, Worcester has developed a range of tamper-proof locking devices, where the emphasis has been placed on ensuring valve position integrity. This is critical in applications such as isolation for downstream equipment maintenance, positive supply of emergency feeder systems or isolation of hazardous media.

The wrench is retrofittable on all 44 Series valves and also the flanged 519/529 Series valves with the required stop screw being supplied in the kit. All locking wrenches are manufactured in stainless steel as standard and fitted with the standard 'Worcester' padded Wrench sleeve for ease of use and recognition.

Some of the tamper-proof features are shown below:



LOCKING WRENCH SELECTION CHART

Patent Applied For

SERIES	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
44	05LWK44		10LWK44	07LWK519	15LWK519	
519 / 529	05LWK519	07LWK519		N/A	15LWK519	

Note: Designed for padlocks with 5mm hasp (max.). Padlocks *NOT* included.

FEATURES

- * Spring-loaded latching device
- * Tamper-proof
- * 316 Stainless Steel
- * Retrofittable
- * High cranked wrench

BENEFITS

- To prevent accidental operation in any orientation
- Cannot be overridden when locked
- Suitable for the majority of environments
- Upgrade existing plants
- To clear pipe insulation



Flowserve Flow Control (UK) Ltd
 Burrell Road, Haywards Heath, West Sussex RH16 1TL
 T: +44 (0)1444 314400 F: +44 (0)1444 314401
 E-mail: wwukinfo@flowserve.com
 Website: www.worcestercontrols.co.uk



Flow Control Division

TM indicates a trade mark of Worcester Controls Information given in this leaflet is made in good faith and based upon specific testing but does not, however, constitute a guarantee